

Netwrix Auditor Add-on for HP ArcSight Quick-Start Guide

Version: 8.5
12/22/2016



Legal Notice

The information in this publication is furnished for information use only, and does not constitute a commitment from Netwrix Corporation of any features or functions, as this publication may describe features or functionality not applicable to the product release or version you are using. Netwrix makes no representations or warranties about the Software beyond what is provided in the License Agreement. Netwrix Corporation assumes no responsibility or liability for the accuracy of the information presented, which is subject to change without notice. If you believe there is an error in this publication, please report it to us in writing.

Netwrix is a registered trademark of Netwrix Corporation. The Netwrix logo and all other Netwrix product or service names and slogans are registered trademarks or trademarks of Netwrix Corporation. Microsoft, Active Directory, Exchange, Exchange Online, Office 365, SharePoint, SQL Server, Windows, and Windows Server are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. All other trademarks and registered trademarks are property of their respective owners.

Disclaimers

This document may contain information regarding the use and installation of non-Netwrix products. Please note that this information is provided as a courtesy to assist you. While Netwrix tries to ensure that this information accurately reflects the information provided by the supplier, please refer to the materials provided with any non-Netwrix product and contact the supplier for confirmation. Netwrix Corporation assumes no responsibility or liability for incorrect or incomplete information provided about non-Netwrix products.

© 2016 Netwrix Corporation.

All rights reserved.

Table of Contents

1. Introduction	4
1.1. Netwrix Auditor Overview	4
2. Netwrix Auditor Add-on for HP ArcSight	5
3. Use the Add-On	6
3.1. Prerequisites	6
3.2. Define Parameters for Add-On	7
3.3. Choose Appropriate Execution Scenario	8
3.4. Run the Add-On with PowerShell	9
3.5. Automate Add-On Execution	9
3.6. See Results	10
4. Netwrix Auditor Integration API Overview	11

1. Introduction

This guide is intended for the first-time users of Netwrix Auditor Integration API add-ons. It can be used for evaluation purposes, therefore, it is recommended to read it sequentially, and follow the instructions in the order they are provided. After reading this guide you will be able to:

- Define add-on parameters
- Execute the add-on
- Schedule a task for running the add-on
- Review results

NOTE: The add-on works only in combination with Netwrix Auditor so this guide covers a basic procedure for running the add-on and assumes that you have Netwrix Auditor installed and configured in your environment. For installation scenarios, data collection options, as well as detailed information on Integration API, refer to:

- [Netwrix Auditor Installation and Configuration Guide](#)
- [Netwrix Auditor Administrator's Guide](#)
- [Netwrix Auditor Integration API Overview](#)

1.1. Netwrix Auditor Overview

Netwrix Auditor is a visibility and governance platform that enables control over changes, configurations and access in hybrid cloud IT environments to protect sensitive data regardless of its location. The platform provides security analytics to detect anomalies in user behavior and investigate threat patterns before a data breach occurs.

Netwrix Auditor includes applications for Active Directory, Azure AD, Exchange, Office 365, Windows file servers, EMC storage devices, NetApp filer appliances, SharePoint, Oracle Database, SQL Server, VMware, and Windows Server. Empowered with a RESTful API and user activity video recording, the platform delivers visibility and control across all of your on-premises or cloud-based IT systems in a unified way.

Major benefits:

- Detect insider threats—on premises and in the cloud
- Pass compliance audits with less effort and expense
- Increase productivity of IT security and operations teams

2. Netwrix Auditor Add-on for HP ArcSight

Netwrix Auditor helps you extend auditing possibilities and get most from your HP ArcSight investment. The Netwrix Auditor Add-on for HP ArcSight works in collaboration with Netwrix Auditor, supplying additional data that augments the data collected by HP ArcSight.

The add-on enriches your SIEM data with actionable context in human-readable format, including the before and after values for every change and data access attempt, both failed and successful. Aggregating data into a single audit trail simplifies analysis, makes your SIEM more cost effective, and helps you keep tabs on your IT infrastructure.

Implemented as a PowerShell script, this add-on facilitates the audit data transition from Netwrix Auditor to HP ArcSight. All you have to do is provide connection details and schedule the script for execution.

On a high level, the add-on works as follows:

1. The add-on connects to the Netwrix Auditor server and retrieves audit data using the Netwrix Auditor Integration API.
2. The add-on processes Netwrix Auditor-compatible data (Activity Records) into native HP ArcSight CEF format. Each exported event contains the user account, action, time, and other details.
3. The add-on uploads audit trails to HP ArcSight Logger making it immediately ready for review and analysis.


For more information on the structure of the Activity Record and the capabilities of the Netwrix Auditor Integration API, refer to [Netwrix Auditor Integration API Overview](#).

3. Use the Add-On

3.1. Prerequisites

Before running Netwrix Auditor Add-on for HP ArcSight, ensure that all the necessary components and policies are configured as follows:

On...	Ensure that...
The Netwrix Auditor Server side	<ul style="list-style-type: none"> The Audit Database settings are configured in Netwrix Auditor Server. The TCP 9699 port (default Netwrix Auditor Integration API port) is open for inbound connections The user retrieving data from the Audit Database is a member of the Netwrix Auditor Client Users group.
On the HP ArcSight side	<ul style="list-style-type: none"> The TCP Receiver is enabled and is configured to receive CEF as source and use the default port 515. To check TCP Receiver setting or add a new receiver, start the HP ArcSight Logger web interface and navigate to Configuration → Receivers.



The computer	<ul style="list-style-type: none"> The user running the script must have sufficient permissions to supply data to HP ArcSight. Execution policy for powershell scripts is set to <i>"Unrestricted"</i>. Run Windows
--------------	--

On...	Ensure that...
where the script will be executed	<p>PowerShell as administrator and execute the following command:</p> <pre>Set-ExecutionPolicy Unrestricted</pre> <ul style="list-style-type: none"> The user running the script is granted the write permission on the script folder—the add-on creates a special .bin file with the last exported event.

3.2. Define Parameters for Add-On

Before running or scheduling the add-on, you must define connection details: Netwrix Auditor Server host, user credentials, etc. Most parameters are optional, the script uses the default values unless parameters are explicitly defined. You can skip or define parameters depending on your execution scenario and security policies. See [Choose Appropriate Execution Scenario](#) for more information.

First provide a path to your add-on followed by script parameters with their values. Each parameter is preceded with a dash; a space separates a parameter name from its value. You can skip some parameters—the script uses a default value unless a parameter is explicitly defined.

Parameter	Default value	Description
ArcSightHost	—	<p>Provide a name of the computer where HP ArcSight resides (e.g., 172.28.6.18, ArcSightSRV, ArcSightSRV.enterprise.local).</p> <p>NOTE: This is a mandatory parameter.</p> <p>Unless specified, the add-on assumes that the default port 515 is used. To specify a non-default port, provide a server name followed by the port number (e.g., ArcSightSRV.enterprise.local:9998).</p>
NetwrixAuditorHost	localhost:9699	<p>Assumes that the script runs on the computer hosting Netwrix Auditor Server and uses default port 9699.</p> <p>If you want to run a script on another machine, provide a name of the computer where Netwrix Auditor Server resides (e.g., 172.28.6.15, EnterpriseNAServer, WKS.enterprise.local).</p> <p>To specify a non-default port, provide a server name followed by the port number (e.g., WKS.enterprise.local:9999).</p>

Parameter	Default value	Description
NetwrixAuditorUserName	Current user credentials	<p>Unless specified, the script runs with the current user credentials.</p> <p>If you want the script to use another account to connect to Netwrix Auditor Server, specify the account name in the DOMAIN\username format.</p> <p>NOTE: The account be a member of the Netwrix Auditor Client Users group on the computer that hosts Netwrix Auditor Server.</p>
NetwrixAuditorPassword	Current user credentials	<p>Unless specified, the script runs with the current user credentials. Provide a different password if necessary.</p>

3.3. Choose Appropriate Execution Scenario

Netwrix Auditor Add-on for HP ArcSight runs on any computer in your environment. For example, you can run the add-on on the computer where Netwrix Auditor is installed or on a remote server. Depending on the execution scenario you choose, you have to define a different set of script parameters. See [Netwrix Auditor Add-on for HP ArcSight](#) for more information.

Netwrix suggests the following execution scenarios:

Scenario	Example
The add-on runs on the Netwrix Auditor Server with the current user credentials. Data is written a remote HP ArcSight.	<code>C:\Add-ons\Netwrix_Auditor_Add-on_for_HP_ArcSight.ps1 -ArcSightHost 172.28.6.18</code>
The add-on runs on the Netwrix Auditor Server with the explicitly specified user credentials. Data is written a remote HP ArcSight.	<code>C:\Add-ons\Netwrix_Auditor_Add-on_for_HP_ArcSight.ps1 -ArcSightHost 172.28.6.18 -NetwrixAuditorUserName enterprise\NAuser -NetwrixAuditorPassword NetwrixIsCool</code>
The add-on runs on a remote computer with the current user credentials. Data is retrieved from a remote Netwrix Auditor repository and written to a remote HP ArcSight.	<code>C:\Add-ons\Netwrix_Auditor_Add-on_for_HP_ArcSight.ps1 -ArcSightHost 172.28.6.24 -NetwrixAuditorHost 172.28.6.15</code>
The add-on runs on a remote computer. Data is retrieved from a remote Netwrix Auditor repository with the explicitly specified user credentials and written to a remote HP ArcSight.	<code>C:\Add-ons\Netwrix_Auditor_Add-on_for_HP_ArcSight.ps1 -ArcSightHost 172.28.6.24 -NetwrixAuditorHost 172.28.6.15 -NetwrixAuditorUserName enterprise\NAuser -NetwrixAuditorPassword NetwrixIsCool</code>

For security reasons, Netwrix recommends running the script with current user credentials (skipping user credentials). Create a special user account with permissions to both Netwrix Auditor data and HP ArcSight and use it for running the script.

3.4. Run the Add-On with PowerShell

To run the script with PowerShell

1. On computer where you want to execute the add-on, start **Windows PowerShell**.
2. Type a path to the add-on. Or simply drag and drop the add-on file in the console window.
3. Add script parameters. The console will look similar to the following:

```
Windows PowerShell
Copyright (C) 2014 Microsoft Corporation. All rights reserved.
PS C:\Users\AddOnUser> C:\Add-ons\Netwrix_Auditor_Add-on_for_HP_ArcSight.ps1 -
ArcSightHost 172.28.6.24 -NetwrixAuditorHost 172.28.6.15
```

NOTE: If the script path contains spaces (e.g., C:\Netwrix Add-ons\), embrace it in double quotes and insert the ampersand (&) symbol in front (e.g., & "C:\Netwrix Add-ons\").

4. Hit **Enter**.

Depending on the number of Activity Records stored in Netwrix AuditorAudit Database execution may take a while. Ensure the script execution completed successfully. As a result, data will be exported to HP ArcSight. Note that events exceeding 4000 symbols are trimmed.

Every time you run the script, Netwrix Auditor makes a timestamp. The next time you run the script, it will start retrieving new Activity Records.

3.5. Automate Add-On Execution

To ensure you feed the most recent data to HP ArcSight, Netwrix recommends scheduling a daily task for running the add-on.

To create a scheduled task

1. On the computer where you want to execute the add-on, navigate to **Task Scheduler**.
2. Select **Create Task**.
3. On the **General** tab, specify a task name, e.g., Netwrix Auditor Add-on for HP ArcSight. Make sure the account that runs the task has all necessary rights and permissions.
4. On the **Triggers** tab, click **New** and define the schedule. This option controls how often audit data is exported from Netwrix Auditor and transferred to HP ArcSight. Netwrix recommends scheduling a daily task.

- On the **Actions** tab, click **New** and specify action details. Review the following for additional information:

Option	Value
Action	Set to <i>"Start a program"</i> .
Program/script	Input <i>"Powershell.exe"</i> .
Add arguments (optional)	Add a path to the add-on in double quotes and specify add-on parameters. For example: <pre>-file "C:\Add-ons\Netwrix_Auditor_Add-on_for_HP_ArcSight.ps1" -ArcSightHost 172.28.6.24 - NetwrixAuditorHost 172.28.6.15</pre>

- Save the task.

After creating a task, wait for the next scheduled run or navigate to **Task Scheduler** and run the task manually. To do this, right-click a task and click **Run**.

3.6. See Results

- Log on to your **HP ArcSight Logger** web interface.
- On the **Summary** page, select the **Event Summary by Receiver** diagram and click the **TCP Receiver** segment (Activity Records are imported through TCP Receiver).
- On the **Analyze** page that opens, review the search field. Ensure your computer is listed as TCP Receiver (e.g., "172.28.10.136 [TCP Receiver]"). If you imported Activity Records from more than one Netwrix Auditor server, add all of them in the search field.

NOTE: You might want to modify time range and the fields shown.

- Review imported Activity Records.

	Time (Event Time)	Device	Logger	deviceVendor	deviceProduct	deviceVersion	deviceEventClassId	name
1	2016/04/06 12:26:14 EDT	172.28.10.136 [TCP Receiver]	Local	Netwrix	Active Directory	1.0	Added	Added group
2	2016/04/06 12:26:14 EDT	172.28.10.136 [TCP Receiver]	Local	Netwrix	Active Directory	1.0	Added	Added user


4. Netwrix Auditor Integration API Overview

Netwrix Auditor Add-on for HP ArcSight leverages Netwrix Auditor Integration API. Although you can always use the add-on as is, but Netwrix encourages customers to create their own integration add-ons. The add-ons created based on Netwrix Auditor Integration API capabilities are easily tailored to your specific environment and business requirements.

Netwrix Auditor Integration API—endless integration, auditing and reporting capabilities.

The Netwrix Auditor Integration API provides access to audit data collected by Netwrix Auditor through REST API endpoints. According to the RESTful model, each operation is associated with a URL. Integration API provides the following capabilities:

- **Data in:** Centralize auditing and reporting by feeding Netwrix Auditor with audit data from any existing on-premises or cloud applications. All of your audit data will be centrally stored and ready for reporting.
- **Data out:** Get the most from your SIEM investment by feeding more granular audit data into your HP Arcsight, Splunk, IBM QRadar or other solution, thus increasing the signal-to-noise ratio. Moreover, you can also feed the granular audit data from Netwrix Auditor into critical IT processes, such as change management or ticketing, to further automate and streamline operations.



Netwrix Auditor Integration API operates with XML- and JSON-formatted Activity Records—minimal chunks of audit data containing information on *who* changed *what*, *when* and *where* this change was made. XML format is set as default.

With Integration API you can write Activity Records to the SQL Server-based Audit Database and access audit data from remote computers. Also, Netwrix prepares add-ons—sample scripts—to help you integrate your SIEM solutions with Netwrix Auditor.

Netwrix does not limit you with applications that can be used with Integration API. You can write RESTful requests using any tool or application you prefer —cURL, Telerik Fiddler, various Google Chrome or Mozilla FireFox plug-ins, etc.

See [Netwrix Auditor Integration API Guide](#) for more information.